

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP- 2 TZ - 15mg

4x Tested

PASS

Tested for: **BulletProof BioLabs**
www.bulletproofbiolabs.com

COA #: **COA-2026-SXVYUP**
Lot Number: **BPB-2610-001**
Labeled Content: **15mg**
Volume: **3mL**

Analysis Date: **10/20/2026**
Cap Color: **Blue**
Date Received: **10/14/2026**



Scan to verify
authenticity at ils-lab.com
Access Code: **QGCMTSLN**

Method: **Purity, Identity & Quantitation (HPLC)**

Identity

GLP- 2 TZ

Peptide Purity

99.69%




Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.69%	%	PASS
Net Peptide Content	Report Only	15.74	mg	N/A
Identity (HPLC-RTM)	Tirzepatide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



GLP- 2 TZ 15mg - BPB-2610-001

HPLC Chromatogram



GLP- 2 TZ 15mg - BPB-2610-001: UV Chromatogram

Notes & Methodology

- Date Tested: 10/20/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be GLP- 2 TZ by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com



Dr. Greg Kalyuzhny
Lab Director
10/20/2026

COA #: **COA-2026-SXVYUP**
Access Code: **QGCMTSLN**
Verify: portal.ils-lab.com/verify/-69h7GP1rHnv3Lj
Issued: 10/20/2026